



**WALL
VENTILATION**

SYSTEM+

**VENTILATION
GRILLES**



PRODCUT CATALOGUE 2024

+ WALL VENTILATION (variety)

www.southernbp.ie



Southern Building Products Ltd, is Ireland's leading supplier of a wide range of ventilation and building products.

The product range is the most comprehensive available in Ireland, with quality solutions for eaves, slate, tile and ridge. Southern Building Products also supply a full range of underfloor and cavity wall insulation ventilation solutions.

Southern Building Products compliments its ventilation products with a range of building products including Cavity trays and roof membranes. Southern Building Products supply only the best products for your project and are agents for household names such as Glidevale, Z Led, Protect, Stadium and Rytons.

With nationwide coverage our sales team will be more than happy to offer advice and assistance on the application of our products.




INDEX


WALL VENTILATION




variety 03





SYSTEM+ Ø100





| | |
|---|----|
| - WAVE SERIES FANS (WITH SLIDE BEARING) | 10 |
| - CIRCULAR DUCT SYSTEM Ø100 | 11 |
| - CIRCULAR DUCT SYSTEM Ø125 | 13 |
| - CIRCULAR DUCT SYSTEM Ø150 | 15 |
| - ROUND DUCT REDUCTIONS | 17 |
| - ALUMINIUM FLEXIBLE DUCTS | 18 |
| - HOSE CLIPS | 18 |
| - UNIDIRECTIONAL AIRFLOW GRILLE | 18 |
| - TRU SERIES | 19 |
| - PLUS SERIES | 20 |
| - CLASSIC ROUND SERIES | 21 |
| - PLASTIC AIR DIFFUSERS | 22 |
| - CEILING GRILLES | 22 |
| - AMN SERIES DIFFUSERS | 22 |
| - WMN SERIES AIR EJECTORS | 22 |


| PRODUCT | CODE | DESCRIPTION | KEY FEATURES | QUANTITY |
|---|--|--|--------------|--|
| AC10HP: Rytons Controllable LookRyt® AirCore®  | AC10HPTC AC10HPBS AC10HPWH | Background vent to disperse moisture, odours and other air pollutants. Equivalent area: 7,500mm ² (75cm ²) per set. Colours/codes: Terracotta (AC10HPTC), buff/sand (AC10HPBS), white (AC10HPWH). | N/A | <ul style="list-style-type: none"> Pallet Qty - 120 |
| AC10HPCWL: Rytons Cowled Controllable LookRyt® AirCore®  | AC10HPTCWL AC10HPBCWL AC10HPWCWL | 5" dia. retro-fi tted cowled controllable room vent. Background vent to disperse moisture, odours and other air pollutants. Equivalent area: 7,300mm ² (73cm ²) per set. Colours/codes: Terracotta (AC10HPTCWL), buff/sand (AC10HPBCWL), white (AC10HPWCWL). | N/A | <ul style="list-style-type: none"> Pallet Qty - 120 |
| AC7HP: Rytons Baffled Controllable LookRyt® AirCore®  | AC7HPTC AC7HPBS AC7HPWH | 5" dia. retro-fi tted controllable room vent with baffl ed tube. Background vent to disperse moisture, odours and other air pollutants. Equivalent area: 6,500mm ² (65cm ²) per set. Colours/codes: Terracotta (AC7HPTC), buff/sand (AC7HPBS), white (AC7HPWH). | N/A | <ul style="list-style-type: none"> Pallet Qty - 120 |
| AC7HPCWL: Rytons Cowled Baffled Controllable LookRyt® AirCore®  | AC7HPTCWL AC7HPBCWL AC7HPWCWL | 5" dia. retro-fi tted cowled controllable room vent with baffl ed tube. Background vent to disperse moisture, odours and other air pollutants. Equivalent area: 6,700mm ² (67cm ²) per set. Colours/codes: Terracotta (AC7HPTCWL), buff/sand (AC7HPBCWL), white (AC7HPWCWL). | N/A | <ul style="list-style-type: none"> Pallet Qty - 120 |


| PRODUCT | CODE | DESCRIPTION | KEY FEATURES | QUANTITY |
|--|--|--|---|--|
| AAC125HP: Rytons Super Acoustic Controllable LookRyt® AirCore®  | AAC125HPTC AAC125HPBS AAC125HPWH | 5" dia. retro-fitted controllable room vent with acoustic tube. Background vent to disperse moisture, odours and other air pollutants. Reduces sound by 43 dB (Dn,e,w) open and 50 dB (Dn,e,w) closed. Equivalent area: 8,500mm ² (85cm ²) per set. Colours/codes: Terracotta (AAC125HPTC), buff/sand (AAC125HPBS), white (AAC125HPWH). | | <ul style="list-style-type: none"> Pallet Qty - 120 |
| AAC125HPCWL: Rytons Cowled Super Acoustic Controllable LookRyt® AirCore®  | AAC125HPTCWL AAC125HPBCWL AAC125HPWCWL | 5" dia. retro-fitted cowled controllable room vent with acoustic tube. Background vent to disperse moisture, odours and other air pollutants. Reduces sound by 45 dB (Dn,e,w) open and 50 dB (Dn,e,w) closed. Equivalent area: 8,400mm ² (84cm ²) per set. Colours/codes: Terracotta (AAC125HPTCWL), buff/sand (AAC125HPBCWL), white AAC125HPWCWL). | | <ul style="list-style-type: none"> Pallet Qty - 120 |
| AC10LP: Rytons LookRyt® AirCore®  | AC10LPTC AC10LPBS AC10LPWH | 5" dia. retro-fitted combustion air vent. Fixed open air supply for boilers, stoves and fi res. Equivalent area: 10,400mm ² (104cm ²) per set. Colours/codes: Terracotta (AC10LPTC), buff/sand (AC10LPBS), white (AC10LPWH). |  | <ul style="list-style-type: none"> Pallet Qty - 120 |
| AC10LPCWL: Rytons Cowled LookRyt® AirCore®  | AC10LPTCWL AC10LPBCWL AC10LPWCWL | 5" dia. retro-fitted cowled combustion air vent. Fixed open air supply for boilers, stoves and fi res. Equivalent area: 11,100mm ² (111cm ²) per set. Colours/codes: Terracotta (AC10LPTCWL), buff/sand (AC10LPBCWL), white (AC10LPWCWL). |  | <ul style="list-style-type: none"> Pallet Qty - 120 |

| PRODUCT | CODE | DESCRIPTION | KEY FEATURES | QUANTITY |
|--|--|---|---|--|
| AC7LP: Rytons Baffled LookRyt® AirCore®  | AC7LPTC AC7LPBS AC7LPWH | 5" dia. retro-fi tted combustion air vent with baffl ed tube. Fixed open air supply for boilers, stoves and fi res. Equivalent area: 7,900mm ² (79cm ²) per set. Colours/codes: Terracotta (AC7LPTC), buff/sand (AC7LPBS), white (AC7LPWH). |  | <ul style="list-style-type: none"> Pallet Qty - 120 |
| AC7LPCWL: Rytons Cowled Baffled LookRyt® AirCore®  | AC7LPTCWL AC7LPBCWL AC7LPWCWL | 5" dia. retro-fi tted cowled combustion air vent with baffl ed tube. Fixed open air supply for boilers, stoves and fi res. Equivalent area: 8,100mm ² (81cm ²) per set. Colours/codes: Terracotta (AC7LPTCWL), buff/sand (AC7LPBCWL), white (AC7LPWCWL). |  | <ul style="list-style-type: none"> Pallet Qty - 120 |
| AAC125LP: Rytons Super Acoustic LookRyt® AirCore®  | AAC125LPTC AAC125LPBS AAC125LPWH | 5" dia. retro-fi tted combustion air vent with acoustic tube. Fixed open air supply for boilers, stoves and fi res. Reduces sound by 44 dB (Dn,e,w). Equivalent area: 7,400mm ² (74cm ²) per set. Colours/codes: Terracotta (AAC125LPTC), buff/sand (AAC125LPBS), white (AAC125LPWH). |  | <ul style="list-style-type: none"> Pallet Qty - 120 |
| AAC125LPCWL: Rytons Cowled Super Acoustic LookRyt® AirCore®  | AAC125LPTCWL AAC125LPBCWL AAC125LPWCWL | 5" dia. retro-fi tted cowled combustion air vent with acoustic tube. Fixed open air supply for boilers, stoves and fi res. Reduces sound by 45 dB (Dn,e,w). Equivalent area: 7,200mm ² (72cm ²) per set. Colours/codes: Terracotta (AAC125LPTCWL), buff/sand (AAC125LPBCWL), white (AAC125LPWCWL). |  | <ul style="list-style-type: none"> Pallet Qty - 120 |

| PRODUCT | CODE | DESCRIPTION | KEY FEATURES | QUANTITY |
|---|-------------------------------|--|--------------|-----------------|
| Rytons Self-adhesive Wall Plate  | SA5PLATE | Internal wall plate. Covers damage caused by core drilling. Self-adhesive for quick and easy fixing. Use with Rytons LookRyt® AirCore® range and any other 125mm dia. rigid or flexible ducting. | N/A | • Pack Qty: 1 |
| ABC8 - Rytons 8½x8 AirCore® Cowl  | ABC8TC ABC8BS ABC8WH | Surface mounted, U.V. stabilised, air blast cover for openings, air bricks and grilles. Size: 217mm L x 210mm H x 93mm D. Free area: 16,000mm² (160cm²) per unit. Box quantity: 10 no. Colours/codes: Terracotta (ABC8TC), buff/sand (ABC8BS), white (ABC8WH). | N/A | • Pack Qty: 10 |
| RYTWEEP: Rytons Rytweep® (Cavity Weep)  | RYTWECL RYTWETC RYTWEBS | Virtually invisible cavity weep hole duct for traditional build. Shows only the edge of the small weep outlet when installed. Size: 101mm L x 66mm H x 10mm W. Box quantity: 200 no. Colours/codes: Clear (RYTWECL), terracotta (RYTWETC), buff/sand (RYTWEBS). | N/A | • Pack Qty: 200 |
| SVFMIN: Rytons Flyscreened Slim Vent® Minor (Cavity Weep Vent)  | SVFMINCL SVFMINBS | Cavity vent/weep hole duct for timber frame and traditional build. Central flyscreen for a neat appearance and to prevent blockage. Size: 103mm L x 66mm H x 10mm W. Free area: 265mm² per unit. Box quantity: 100 no. Colours/codes: Clear (SVFMINCL), buff/sand (SVFMINBS). | N/A | • Pack Qty: 100 |




| PRODUCT | CODE | DESCRIPTION | KEY FEATURES | QUANTITY |
|---|--|--|--|----------------|
| MFAB: Rytons Multifix® Air Brick  | MFABTC MFABBS MFABBB MFABGR MFABWH MFABBR MFABBL | Robust, U.V. stabilised, interlocking air brick. Size: 215mm L x 66mm H x 58mm D. Free area: 7,750mm ² per unit. Box quantity: 20 no. Colours/codes: Terracotta (MFABTC), buff/sand (MFABBS), blue/black (MFABBB), grey (MFABGR), white (MFABWH), brown (MFABBR), black (MFABBL). | N/A | • Pack Qty: 20 |
| Internal Plastic Grille  | 1207WF | 9 x 3 louvre vent with fly screen - designed to cover the inner opening of a cavity sleeve and provide an aesthetically pleasing appearance while sustaining airflow and reducing drafts. Colour: White Simple screw fixing | Manufactured by injection moulding in ABS/HIPS Excellent airflow properties Aesthetically pleasing, durable and totally resistant to decay | • Qty: 1 |
| Internal Plastic Grille  | 1208W | 9 x 3 hit & miss louvre vent - designed to cover the inner opening of a cavity sleeve and provide an aesthetically pleasing appearance while sustaining airflow and reducing drafts. Colour: White Simple screw fixing | Manufactured by injection moulding in ABS/HIPS Excellent airflow properties Aesthetically pleasing, durable and totally resistant to decay | • Qty: 1 |
| Internal Plastic Grille  | 1209W | 9 x 6 hit & miss louvre vent - designed to cover the inner opening of a cavity sleeve and provide an aesthetically pleasing appearance while sustaining airflow and reducing drafts. Colour: White Simple screw fixing | Manufactured by injection moulding in ABS/HIPS Excellent airflow properties Aesthetically pleasing, durable and totally resistant to decay | • Qty: 1 |









| PRODUCT | CODE | DESCRIPTION | KEY FEATURES | QUANTITY |
|---|-----------------------------------|--|--|----------|
| Internal Plastic Grille  | 1210W | 9 x 9 hit & miss louvre vent - designed to cover the inner opening of a cavity sleeve and provide an aesthetically pleasing appearance while sustaining airflow and reducing drafts. Colour: White Simple screw fixing | Manufactured by injection moulding in ABS/HIPS Excellent airflow properties Aesthetically pleasing, durable and totally resistant to decay | • Qty: 1 |
| Internal Plastic Grille  | 1211W 1211WF (with fly screen) | 9 x 6 louvre vent-designed to cover the inner opening of a cavity sleeve and provide an aesthetically pleasing appearance while sustaining airflow and reducing drafts. Colour: White Simple screw fixing | Manufactured by injection moulding in ABS/HIPS Excellent airflow properties Aesthetically pleasing, durable and totally resistant to decay | • Qty: 1 |
| Internal Plastic Grille  | 1212WF | 9 x 9 louvre vent with flyscreen - designed to cover the inner opening of a cavity sleeve and provide an aesthetically pleasing appearance while sustaining airflow and reducing drafts. Colour: White Simple screw fixing | Manufactured by injection moulding in ABS/HIPS Excellent airflow properties Aesthetically pleasing, durable and totally resistant to decay | • Qty: 1 |
| Internal Metal Grille  | 1220A | 9 x 3 hit & miss vent - to cover the inner opening of a cavity sleeve and provide an aesthetically pleasing appearance while sustaining airflow and reducing drafts. Simple screw fixing | Manufactured in high quality pressed aluminium Excellent airflow properties Aesthetically pleasing, durable and totally resistant to decay | • Qty: 1 |









| PRODUCT | CODE | DESCRIPTION | KEY FEATURES | QUANTITY |
|--|-------|--|--|----------|
| Internal Metal Grille  | 1221A | 9 x 6 hit & miss vent - to cover the inner opening of a cavity sleeve and provide an aesthetically pleasing appearance while sustaining airflow and reducing drafts. Simple screw fixing | Manufactured in high quality pressed aluminium Excellent airflow properties Aesthetically pleasing, durable and totally resistant to decay | • Qty: 1 |
| Internal Metal Grille  | 1222A | 9 x 9 hit & miss vent - to cover the inner opening of a cavity sleeve and provide an aesthetically pleasing appearance while sustaining airflow and reducing drafts. Simple screw fixing | Manufactured in high quality pressed aluminium Excellent airflow properties Aesthetically pleasing, durable and totally resistant to decay | • Qty: 1 |
| Internal Metal Grille  | 1223A | 9 x 3 louvre vent - designed to cover the inner opening of a cavity sleeve and provide an aesthetically pleasing appearance while sustaining airflow and reducing drafts. Simple screw fixing | Manufactured in high quality pressed aluminium Excellent airflow properties Aesthetically pleasing, durable and totally resistant to decay | • Qty: 1 |
| Internal Metal Grille  | 1224A | 9 x 6 louvre vent - designed to cover the inner opening of a cavity sleeve and provide an aesthetically pleasing appearance while sustaining airflow and reducing drafts. Simple screw fixing | Manufactured in high quality pressed aluminium Excellent airflow properties Aesthetically pleasing, durable and totally resistant to decay | • Qty: 1 |









| PRODUCT | CODE | DESCRIPTION | KEY FEATURES | QUANTITY |
|--|-------|--|--|----------|
| Internal Metal Grille  | 1225A | 9 x 9 louvre vent - designed to cover the inner opening of a cavity sleeve and provide an aesthetically pleasing appearance while sustaining airflow and reducing drafts. Simple screw fixing | Manufactured in high quality pressed aluminium Excellent airflow properties Aesthetically pleasing, durable and totally resistant to decay | Qty: 1 |






SYSTEM+ Ø100 / WAVE SERIES FANS (WITH SLIDE BEARING)









| PHOTO | INDEX | DESCRIPTION | FEATURES | SIZE | COLOUR | ITEMS IN BOX | MATERIAL |
|--|---------|--|--|----------------|--------|--------------|----------|
|  | WAV100 | WAVE Series fan with terminal block | 91 m3/h | 154x154 / Ø100 | white | 10 | ABS |
| | WAV100W | WAVE Series fan with pull switch | 14 Watts | 154x154 / Ø100 | white | 10 | ABS |
| | WAV100T | WAVE Series fan with timer | 36 dB | 154x154 / Ø100 | white | 10 | ABS |
| | WAV100H | WAVE Series fan with humidity sensor and timer | 30 Pa IPX4 2 years warranty wall installation | 154x154 / Ø100 | white | 10 | ABS |
|  | WAV120 | WAVE Series fan with terminal block | 135 m3/h | 154x154 / Ø120 | white | 10 | ABS |
| | WAV120W | WAVE Series fan with pull switch | 16 Watts | 154x154 / Ø120 | white | 10 | ABS |
| | WAV120T | WAVE Series fan with timer | 40 dB | 154x154 / Ø120 | white | 10 | ABS |
| | WAV120H | WAVE Series fan with humidity sensor and timer | 60 Pa IPX4 2 years warranty wall installation | 154x154 / Ø120 | white | 10 | ABS |
|  | WAV150 | WAVE Series fan with humidity sensor and timer | 180 m3/h | 188x188 / Ø150 | white | 10 | ABS |
| | WAV150W | WAVE Series fan with humidity sensor and timer | 20 Watts | 188x188 / Ø150 | white | 10 | ABS |
| | WAV150T | WAVE Series fan with humidity sensor and timer | 43 dB | 188x188 / Ø150 | white | 10 | ABS |
| | WAV150H | WAVE Series fan with humidity sensor and timer | 42 Pa IPX4 2 years warranty wall installation | 188x188 / Ø150 | white | 10 | ABS |





| PHOTO | INDEX | DESCRIPTION | FEATURES | SIZE | COLOUR | ITEMS IN BOX | MATERIAL |
|--|-------------|--|---|------|--------|--------------|----------|
|  | KO100-05 | Round duct (Ø100) 0,5 m | N/A | Ø100 | white | 10 | PVC |
| | KO100-10 | Round duct (Ø100) 1,0 m | N/A | Ø100 | white | 10 | PVC |
| | KO100-15 | Round duct (Ø100) 1,5 m | N/A | Ø100 | white | 10 | PVC |
|  | KO100-20 | Changeable sections connector (55x110/100) - short | N/A | Ø100 | white | 15 | ABS |
|  | KO100-21 | Round duct connector (Ø100) | N/A | Ø100 | white | 15 | ABS |
|  | KO100-22 | Round duct connector with rev. valve (Ø100) | Prevents from the effect of back draught of the air | Ø100 | white | 15 | ABS |
|  | KO100-23/15 | Round duct elbow 15' (Ø100) | N/A | Ø100 | white | 10 | ABS |
|  | KO100-23/45 | Round duct elbow 45' (Ø100) | N/A | Ø100 | white | 8 | ABS |
|  | KO100-23/90 | Round duct elbow 90' (Ø100) | N/A | Ø100 | white | 15 | ABS |
|  | KO100-26 | Round duct T-piece (Ø100) | N/A | Ø100 | white | 10 | ABS |





| PHOTO | INDEX | DESCRIPTION | FEATURES | SIZE | COLOUR | ITEMS IN BOX | MATERIAL |
|--|-------------|---|---|------|--------|--------------|----------|
|  | KO100-27 | Wall flange (ø100) | N/A | Ø100 | white | 15 | ABS |
|  | KO100-27/22 | Wall flange with reversible valve (ø 100) | Prevents from the effect of back draught of the air | Ø100 | white | 15 | ABS |
|  | KO100-28 | Round duct holder (ø 100) | N/A | Ø100 | white | 15 | ABS |
|  | KO100-29 | Flat to round duct connector (ø100/90x90) | N/A | Ø100 | white | 10 | ABS |
|  | KO100-30 | Exhaust grille for round duct (ø100) | Prevents from the effect of back draught of the air | Ø100 | white | 8 | ABS |
|  | KO100-30BR | Exhaust grille for round duct (ø100) | Prevents from the effect of back draught of the air | Ø100 | white | 15 | ABS |
|  | KO100-30GR | Exhaust grille for round duct (ø100) | Prevents from the effect of back draught of the air | Ø100 | white | 10 | ABS |
|  | KO100-30CZ | Exhaust grille for round duct (ø100) | Prevents from the effect of back draught of the air | | | | |


| PHOTO | INDEX | DESCRIPTION | FEATURES | SIZE | COLOUR | ITEMS IN BOX | MATERIAL |
|--|-------------|--|---|------|--------|--------------|----------|
|  | KO125-05 | Round duct (Ø 125) 0,5 m | N/A | Ø125 | white | 10 | PVC |
| | KO125-10 | Round duct (Ø 125) 1,0 m | N/A | Ø125 | white | 10 | PVC |
| | KO125-15 | Round duct (Ø 125) 1,5 m | N/A | Ø125 | white | 10 | PVC |
|  | KO125-21 | Round duct connector (Ø 125) | N/A | Ø125 | white | 10 | ABS |
|  | KO125-22 | Round duct connector with rev. valve (Ø 125) | Prevents from the effect of back draught of the air | Ø125 | white | 10 | ABS |
|  | KO125-23/45 | Round duct elbow 45' (Ø 125) | N/A | Ø125 | white | 8 | ABS |
|  | KO125-23/90 | Round duct elbow 90' (Ø 125) | N/A | Ø125 | white | 8 | ABS |
|  | KO125-26 | Round duct T-piece (Ø 125) | N/A | Ø125 | white | 7 | ABS |
|  | KO125-27 | Wall flange (Ø 125) | N/A | Ø125 | white | 60 | ABS |
|  | KO125-27/22 | Wall flange with reversibile valve (Ø 125) | Prevents from the effect of back draught of the air | Ø125 | white | 8 | ABS |

| PHOTO | INDEX | DESCRIPTION | FEATURES | SIZE | COLOUR | ITEMS IN BOX | MATERIAL |
|--|------------|--------------------------------------|---|------|-------------------|--------------|----------|
|  | KO125-28 | Round duct holder (ø 125) | N/A | Ø125 | white | 15 | ABS |
|  | KO125-30 | Exhaust grille for round duct (ø125) | Prevents from the effect of back draught of the air | Ø125 | white | 10 | ABS |
|  | KO125-30BR | Exhaust grille for round duct (ø125) | Prevents from the effect of back draught of the air | Ø125 | brown | 10 | ABS |
|  | KO125-30GR | Exhaust grille for round duct (ø125) | Prevents from the effect of back draught of the air | Ø125 | graphite (pewter) | 10 | ABS |
|  | KO125-30CZ | Exhaust grille for round duct (ø125) | Prevents from the effect of back draught of the air | Ø125 | black | 10 | ABS |

| PHOTO | INDEX | DESCRIPTION | FEATURES | SIZE | COLOUR | ITEMS IN BOX | MATERIAL |
|--|-------------|--|---|------|--------|--------------|----------|
|  | KO150-05 | Round duct (Ø 150) 0,5 m | N/A | Ø150 | white | 7 | PVC |
| | KO150-10 | Round duct (Ø 150) 1,0 m | N/A | Ø150 | white | 7 | PVC |
| | KO150-15 | Round duct (Ø 150) 1,5 m | N/A | Ø150 | white | 7 | PVC |
|  | KO150-21 | Round duct connector (Ø 150) | N/A | Ø150 | white | 10 | ABS |
|  | KO150-22 | Round duct connector with rev. valve (Ø 150) | Prevents from the effect of back draught of the air | Ø150 | white | 10 | ABS |
|  | KO150-23 | Round duct elbow 90° (Ø 150) | N/A | Ø150 | white | 10 | ABS |
|  | KO150-26 | Round duct T-piece (Ø 150) | N/A | Ø150 | white | 8 | ABS |
|  | KO150-27 | Wall flange (Ø 150) | N/A | Ø150 | white | 80 | ABS |
|  | KO150-27/22 | Wall flange with reversible valve (Ø 150) | Prevents from the effect of back draught of the air | Ø150 | white | 12 | ABS |
|  | KO150-28 | Round duct holder (Ø 150) | N/A | Ø150 | white | 12 | ABS |

| PHOTO | INDEX | DESCRIPTION | FEATURES | SIZE | COLOUR | ITEMS IN BOX | MATERIAL |
|--|------------|--------------------------------------|---|------|-------------------|--------------|----------|
|  | KO150-30 | Exhaust grille for round duct (Ø150) | Prevents from the effect of back draught of the air | Ø150 | white | 4 | ABS |
|  | KO150-30BR | Exhaust grille for round duct (Ø150) | Prevents from the effect of back draught of the air | Ø150 | brown | 4 | ABS |
|  | KO150-30GR | Exhaust grille for round duct (Ø150) | Prevents from the effect of back draught of the air | Ø150 | graphite (pewter) | 4 | ABS |
|  | KO150-30CZ | Exhaust grille for round duct (Ø150) | Prevents from the effect of back draught of the air | Ø150 | black | 4 | ABS |


| PHOTO | INDEX | DESCRIPTION | FEATURES | SIZE | COLOUR | ITEMS IN BOX | MATERIAL |
|--|----------|--|----------|----------|--------|--------------|----------|
|  | KO120-29 | Round ducts reduction (ø125/120) | N/A | Ø125/120 | white | 10 | ABS |
| | KO125-29 | Round ducts reduction (ø 125/100) | N/A | Ø125/100 | white | 10 | ABS |
| | KO150-29 | Round ducts reduction (ø150/125) | N/A | Ø150/125 | white | 10 | ABS |
| | KO160-29 | Round ducts reduction (ø160/150) | N/A | Ø160/150 | white | 10 | ABS |
|  | KO200-29 | Round ducts reduction (ø200/150) | N/A | Ø200/150 | white | 12 | ABS |
| | RKO | | N/A | Ø150/100 | white | 12 | ABS |
| | ROK | | N/A | Ø120/100 | white | 10 | ABS |
|  | | Round ducts reduction - multistage (ø100,110,120,125,150) | | | | | |
|  | | Round duct reduction for extractor hood (ø120/100) | | | | | |


| PHOTO | INDEX | DESCRIPTION | FEATURES | SIZE | COLOUR | ITEMS IN BOX | MATERIAL |
|--|----------|------------------------------------|--|------|----------|--------------|----------|
|  | KF100-10 | Flexible aluminum pipe (Ø 100) 1 m | Operation temperature from -30°C to +140°C | Ø100 | aluminum | 10 | aluminum |
| | KF100-30 | Flexible aluminum pipe (Ø 100) 3 m | | Ø100 | aluminum | 10 | aluminum |
| | KF125-10 | Flexible aluminum pipe (Ø 125) 1 m | | Ø125 | aluminum | 10 | aluminum |
| | KF125-30 | Flexible aluminum pipe (Ø 125) 3 m | | Ø125 | aluminum | 10 | aluminum |
| | KF150-10 | Flexible aluminum pipe (Ø 150) 1 m | | Ø150 | aluminum | 10 | aluminum |
| | KF150-30 | Flexible aluminum pipe (Ø 150) 3 m | | Ø150 | aluminum | 10 | aluminum |












SYSTEM+ Ø100 / HOSE CLIPS











| | | | | | | | |
|--|-----------|-----------|--------------------------------|----------|------------------|----|------------------|
|  | OP0 | hose clip | Thermal resistance up to 120°C | Ø60-80 | silver | 10 | galvanized steel |
| | OP1 | hose clip | | Ø90-110 | silver | 10 | galvanized steel |
| | OP2 | hose clip | | Ø100-120 | silver | 10 | galvanized steel |
| | OP3 | hose clip | | Ø110-130 | silver | 10 | galvanized steel |
| | OP4 | hose clip | | Ø120-140 | silver | 10 | galvanized steel |
| | OP5 | hose clip | | Ø130-150 | silver | 10 | galvanized steel |
| | OP6 | hose clip | | Ø140-160 | silver | 10 | galvanized steel |
| | OP7 | hose clip | | Ø150-170 | silver | 10 | galvanized steel |
| | OP8 | hose clip | | Ø160-180 | silver | 10 | galvanized steel |
| | OP9 | hose clip | | Ø170-190 | silver | 10 | galvanized steel |
| OP10 | hose clip | Ø200-220 | silver | 10 | galvanized steel | | |


VENTILATION GRILLES/ UNIDIRECTIONAL AIRFLOW GRILLE

| | | | | | | | |
|--|-------|-------------------------------|---|----------------|-------|----|-------------|
|  | TTN1 | Unidirectional airflow grille | Prevents from the effect of back draught of the air Round inlet | 140x140 | white | 45 | polystyrene |
| | TN2 | Unidirectional airflow grille | | 140x210 | white | 35 | polystyrene |
| | TN3 | Unidirectional airflow grille | | 140x140 / Ø100 | white | 40 | polystyrene |
| | TN3CZ | Unidirectional airflow grille | | 140x140 / Ø100 | black | 40 | polystyrene |
| | TN4 | Unidirectional airflow grille | | 140x140 / Ø125 | white | 40 | polystyrene |
| | TN4CZ | Unidirectional airflow grille | | 140x140 / Ø125 | black | 40 | polystyrene |
| | T79 | Unidirectional airflow grille | | 170x170 / Ø150 | white | 30 | polystyrene |
| | T79CZ | Unidirectional airflow grille | | 170x170 / Ø150 | black | 30 | polystyrene |


| PHOTO | INDEX | DESCRIPTION | FEATURES | SIZE | COLOUR | ITEMS IN BOX | MATERIAL |
|--|---------|-------------------|-----------------|---------|--------|--------------|-------------|
|  | TRU2 | TRU Series grille | Anti-insect net | 150x150 | white | 40 | polystyrene |
| | TRU2BR | TRU Series grille | Anti-insect net | 150x150 | brown | 40 | polystyrene |
| | TRU2CZ | TRU Series grille | Anti-insect net | 150x150 | brown | 40 | polystyrene |
| | TRU2SS | TRU Series grille | Anti-insect net | 150x150 | satin | 40 | polystyrene |
|  | TRU14 | TRU Series grille | Anti-insect net | Ø100 | white | 70 | polystyrene |
| | TRU14BR | TRU Series grille | Anti-insect net | Ø100 | brown | 70 | polystyrene |

| PHOTO | INDEX | DESCRIPTION | FEATURES | SIZE | COLOUR | ITEMS IN BOX | MATERIAL |
|--|-------|-----------------------|--|----------------|-------------------|--------------|-------------|
|  | T61 | CLASSIC Series grille | "Anti-insect net Round inlet for in-duct installation" | 140x140 / Ø100 | white | 50 | polystyrene |
|  | T61BR | CLASSIC Series grille | "Anti-insect net Round inlet for in-duct installation" | 140x140 / Ø100 | brown | 50 | polystyrene |
|  | T61GR | CLASSIC Series grille | "Anti-insect net Round inlet for in-duct installation" | 140x140 / Ø100 | graphite (pewter) | 50 | polystyrene |
|  | T61CZ | CLASSIC Series grille | "Anti-insect net Round inlet for in-duct installation" | 140x140 / Ø100 | black | 50 | polystyrene |
|  | T61M | CLASSIC Series grille | "Anti-insect net Round inlet for in-duct installation" | 140x140 / Ø100 | silver | 50 | polystyrene |
|  | T61SS | CLASSIC Series grille | "Anti-insect net Round inlet for in-duct installation" | 140x140 / Ø100 | satın | 50 | polystyrene |
|  | T83 | CLASSIC Series grille | "Anti-insect net Round inlet for in-duct installation" | 140x140 / Ø125 | white | 50 | polystyrene |
|  | T83BR | CLASSIC Series grille | "Anti-insect net Round inlet for in-duct installation" | 140x140 / Ø125 | brown | 50 | polystyrene |
|  | T83GR | CLASSIC Series grille | "Anti-insect net Round inlet for in-duct installation" | 140x140 / Ø125 | graphite (pewter) | 50 | polystyrene |
|  | T83CZ | CLASSIC Series grille | "Anti-insect net Round inlet for in-duct installation" | 140x140 / Ø125 | black | 50 | polystyrene |
|  | T83M | CLASSIC Series grille | "Anti-insect net Round inlet for in-duct installation" | 140x140 / Ø125 | metalized | 50 | polystyrene |
| | T83SS | CLASSIC Series grille | "Anti-insect net Round inlet for in-duct installation" | 140x140 / Ø125 | satın | 50 | polystyrene |
| | T63 | CLASSIC Series grille | "Anti-insect net Mounting brackets" | 110x270 | white | 45 | polystyrene |
| | T63BR | CLASSIC Series grille | "Anti-insect net Mounting brackets" | 110x270 | brown | 45 | polystyrene |
| | T63GR | CLASSIC Series grille | "Anti-insect net Mounting brackets" | 110x270 | grey | 45 | polystyrene |
| | T63CZ | CLASSIC Series grille | "Anti-insect net Mounting brackets" | 110x270 | black | 45 | polystyrene |
| | T27 | CLASSIC Series grille | "Anti-insect net Round inlet for in-duct installation" | 170x170 / Ø150 | white | 45 | polystyrene |
| | T27BR | CLASSIC Series grille | "Anti-insect net Round inlet for in-duct installation" | 170x170 / Ø150 | brown | 45 | polystyrene |
| | T27GR | CLASSIC Series grille | "Anti-insect net Round inlet for in-duct installation" | 170x170 / Ø150 | graphite (pewter) | 45 | polystyrene |
| | T27CZ | CLASSIC Series grille | "Anti-insect net Round inlet for in-duct installation" | 170x170 / Ø150 | black | 45 | polystyrene |

| PHOTO | INDEX | DESCRIPTION | FEATURES | SIZE | COLOUR | ITEMS IN BOX | MATERIAL |
|--|-------|-------------------------|--|----------|-------------------|--------------|-------------|
|  | T30BR | CLASSIC Ø Series grille | Anti-insect net | Ø100 | brown | 70 | polystyrene |
| | T30GR | CLASSIC Ø Series grille | Anti-insect net | Ø100 | graphite (pewter) | 70 | polystyrene |
| | T30CZ | CLASSIC Ø Series grille | Anti-insect net | Ø100 | black | 70 | polystyrene |
| | T30m | CLASSIC Ø Series grille | Anti-insect net | Ø100 | silver | 70 | polystyrene |
|  | T30SS | CLASSIC Ø Series grille | Anti-insect net | Ø100 | satın | 70 | polystyrene |
| | T32 | CLASSIC Ø Series grille | Anti-insect net | Ø125 | white | 50 | polystyrene |
| | T32BR | CLASSIC Ø Series grille | Anti-insect net | Ø125 | brown | 50 | polystyrene |
| | T32GR | CLASSIC Ø Series grille | Anti-insect net | Ø125 | graphite (pewter) | 50 | polystyrene |
| | T32CZ | CLASSIC Ø Series grille | Anti-insect net | Ø125 | black | 50 | polystyrene |
| | T32m | CLASSIC Ø Series grille | Anti-insect net | Ø125 | silver | 50 | polystyrene |
|  | T32SS | CLASSIC Ø Series grille | Anti-insect net | Ø125 | satın | 50 | polystyrene |
| | T36 | CLASSIC Ø Series grille | "Anti-insect net Adjustable inlet" | Ø100-150 | white | 60 | polystyrene |
| | T36BR | CLASSIC Ø Series grille | "Anti-insect net Adjustable inlet" | Ø100-150 | brown | 60 | polystyrene |
| | T36GR | CLASSIC Ø Series grille | "Anti-insect net Adjustable inlet" | Ø100-150 | graphite (pewter) | 60 | polystyrene |
| | T36CZ | CLASSIC Ø Series grille | "Anti-insect net Adjustable inlet" | Ø100-150 | black | 60 | polystyrene |
|  | T36M | CLASSIC Ø Series grille | "Anti-insect net Adjustable inlet" | Ø100-150 | silver | 60 | polystyrene |
| | T36SS | CLASSIC Ø Series grille | "Anti-insect net Adjustable inlet" | Ø100-150 | satın | 60 | polystyrene |
| | T77 | CLASSIC Ø Series grille | Anti-insect net | Ø110 | white | 70 | polystyrene |
| | T77BR | CLASSIC Ø Series grille | Anti-insect net | Ø110 | brown | 70 | polystyrene |
|  | T88 | CLASSIC Ø Series grille | "Anti-insect net Adjustable inlet and shutter" | Ø100-150 | white | 60 | polystyrene |
| | T88BR | CLASSIC Ø Series grille | "Anti-insect net Adjustable inlet and shutter" | Ø100-150 | brown | 60 | polystyrene |
| | T89 | CLASSIC Ø Series grille | "Anti-insect net Adjustable shutter" | Ø150 | white | 50 | polystyrene |
| | T89BR | CLASSIC Ø Series grille | "Anti-insect net Adjustable shutter" | Ø150 | brown | 50 | polystyrene |
|  | T86 | CLASSIC Ø Series grille | "Anti-insect net Adjustable shutter" | Ø125 | white | 50 | polystyrene |
| | T86BR | CLASSIC Ø Series grille | "Anti-insect net Adjustable shutter" | Ø125 | brown | 50 | polystyrene |
| | T87 | CLASSIC Ø Series grille | "Anti-insect net Adjustable shutter" | Ø315 | white | 10 | polystyrene |
|  | T95 | CLASSIC Ø Series grille | "Anti-insect net Adjustable shutter" | Ø100 | white | 70 | polystyrene |
| | T95BR | CLASSIC Ø Series grille | "Anti-insect net Adjustable shutter" | Ø100 | brown | 70 | polystyrene |
| | T95a | CLASSIC Ø Series grille | "Anti-insect net Adjustable shutter" | Ø110 | white | 70 | polystyrene |
|  | | | | | | | |
|  | | | | | | | |
|  | | | | | | | |

| PHOTO | INDEX | DESCRIPTION | FEATURES | SIZE | COLOUR | ITEMS IN BOX | MATERIAL |
|--|-------|------------------|------------------------------|------|--------|--------------|-------------|
|  | AN1 | Ceiling diffuser | Airflow intensity regulation | Ø100 | white | 50 | polystyrene |
| | AN1CZ | Ceiling diffuser | Airflow intensity regulation | Ø100 | black | 50 | polystyrene |
| | AN2 | Ceiling diffuser | Airflow intensity regulation | Ø125 | white | 40 | polystyrene |
| | AN2CZ | Ceiling diffuser | Airflow intensity regulation | Ø125 | black | 40 | polystyrene |
| | AN3 | Ceiling diffuser | Airflow intensity regulation | Ø150 | white | 25 | polystyrene |
| | AN4 | Ceiling diffuser | Airflow intensity regulation | Ø160 | white | 25 | polystyrene |


VENTILATION GRILLES/ CEILING GRILLES

| | | | | | | | |
|--|-------|----------------|-----------------|------|-------|----|-------------|
|  | T64 | Ceiling grille | Anti-insect net | Ø100 | white | 50 | polystyrene |
| | T64CZ | Ceiling grille | Anti-insect net | Ø100 | black | 50 | polystyrene |
| | T65 | Ceiling grille | Anti-insect net | Ø125 | white | 40 | polystyrene |
| | T65CZ | Ceiling grille | Anti-insect net | Ø125 | black | 40 | polystyrene |
| | T66 | Ceiling grille | Anti-insect net | Ø150 | white | 25 | polystyrene |

VENTILATION GRILLES/ AMN SERIES DIFFUSERS

| | | | | | | | |
|--|--------|-----------------------|---|------|-------|----|---------------------|
|  | AMN80 | Metal intake diffuser | "Airflow intensity regulation Thermal resistance up to 120°C" | Ø80 | white | 10 | epoxy painted steel |
| | AMN100 | Metal intake diffuser | "Airflow intensity regulation Thermal resistance up to 120°C" | Ø100 | white | 10 | epoxy painted steel |
| | AMN125 | Metal intake diffuser | "Airflow intensity regulation Thermal resistance up to 120°C" | Ø125 | white | 6 | epoxy painted steel |
| | AMN150 | Metal intake diffuser | "Airflow intensity regulation Thermal resistance up to 120°C" | Ø150 | white | 5 | epoxy painted steel |
| | AMN160 | Metal intake diffuser | "Airflow intensity regulation Thermal resistance up to 120°C" | Ø160 | white | 4 | epoxy painted steel |
| | AMN200 | Metal intake diffuser | "Airflow intensity regulation Thermal resistance up to 120°C" | Ø200 | white | 3 | epoxy painted steel |

VENTILATION GRILLES/ WMN SERIES AIR EJECTORS

| | | | | | | | |
|--|--------|--|--|------|------|---|-----------------|
|  | WMN100 | Chrome-nickel air ejector / air intake | "Outdoor usage Thermal resistance up to 120°C" | Ø100 | inox | 6 | stainless steel |
| | WMN125 | Chrome-nickel air ejector / air intake | "Outdoor usage Thermal resistance up to 120°C" | Ø125 | inox | 6 | stainless steel |
| | WMN150 | Chrome-nickel air ejector / air intake | "Outdoor usage Thermal resistance up to 120°C" | Ø150 | inox | 5 | stainless steel |
| | WMN160 | Chrome-nickel air ejector / air intake | "Outdoor usage Thermal resistance up to 120°C" | Ø160 | inox | 5 | stainless steel |
| | WMN200 | Chrome-nickel air ejector / air intake | "Outdoor usage Thermal resistance up to 120°C" | Ø200 | inox | 5 | stainless steel |



DUBLIN HQ

Unit D1, Montone Business Park
Oak Close, Co Dublin, D12 NR70

CORK BRANCH

Unit 12, Togher Industrial estate
Co Cork, T12 PO43

GALWAY DEPOT

Coolough, Menlo,
Co Galway, H91 VY98

Dublin: +353 (0) 1 538 7097
Cork: +353 (0) 21 496 1004

www.southernbp.ie
info@southernbp.ie

